JOY TUTUS

B01 EN

USAGE GUIDELINES

SKU: A1317-05394-BK

IMPORTANT

Before installation, please make sure that all accessories are ready. (As shown in the picture below).

Estimated installation time:

15-30 minutes

CUSTOMER SUPPORT

Contact us by email:
service@joytutus.com

JOYTUTUS help center:


http://support.joytutus.com

INSTALLATION GUIDE


NOTES BEFORE USING

1. If this product is missing parts or defective, please reach out to us for free part replacements via email (Please attach your Amazon order ID in the email). If this product is found incompatible with your vehicle, you could contact us to see if we have other models for your vehicle. Anything you'd like to ask, feel free to contact us.
2. This ski rack holds up to 6 pairs of skis or 4 snowboards.
3. For your safety, check the mounting bolts before each use and drive at speeds under 120 km/h (75 mph).

PRODUCT INFORMATION




1 Upper Clamp Assembly **x1**



2 Lower Bracket Main Assembly **x1**



3 Upper Rod Assembly **x1**



4 Tail Drag Assembly **x1**



5 M8x70 Hex Head Bolt **x4**




6 M8x25 Hex Head Bolt **x2**



7 M8 Flat Washer **x16 (Includes 2 spares)**




8 M8 Hex Flange Nut **x6**



9 Trailer Hook Locking Device **x1**



10 Protective Tube **x2**




11 Snap Buckle Strap **x2**




12 S=6 Hex Key **x1**



13 S=13 Combination Wrench **x2**



14 S=18 Combination Wrench **x1**



15 U-Tube **x2**



16 M8x65 Hexagon Screw **x2**




17 S=5 Hex Key **x1**




18 Trailer Hitch Pin **x1**

INSTALLATION COMPLETION DIAGRAM

Sled Frame Installation Completed Diagram:



Sled Placement Completed Diagram:



INSTALLATION METHOD

STEP 1:

Required accessories:



3 Upper Rod Assembly **x1**




4 Tail Drag Assembly **x1**




6 M8x25 Hex Head Bolt **x2**




7 M8 Flat Washer **x2**



13 S=13 Combination Wrench **x1**






STEP 2:


Required accessories:



9 Trailer Hook Locking Device **x1**





14 S=18 Combination Wrench **x1**




18 Trailer Hitch Pin **x1**

PREMISE:









STEP 3:

STEP 3-1:

Required accessories:



2 Lower Bracket Main Assembly **x1**



15 U-Tube **x2**




7 M8 Flat Washer **x4**



8 M8 Hex Flange Nut **x2**




16 M8x65 Hexagon Screw **x2**



13 S=13 Combination Wrench **x1**




17 S=5 Hex Key **x1**




STEP 3-2:

Required accessories:



1 Upper Clamp Assembly **x1**



2 Lower Frame Assembly **x1**




5 M8x70 Hex Head Bolt **x4**




7 M8 Flat Washer **x8**



8 M8 Hex Flange Nut **x4**





13 S=13 Combination Wrench **x2**




STEP 4:


STEP 4-1:








STEP 4-2:





TIP


Loosened State:



Fixed State:







STEP 4-3:


Required accessories:





Protective Tube **x2**




Snap Buckle Strap **x2**









Congratulations! The installation is complete.

FUNCTION

Hold the sled frame when placing down to prevent collisions.


Required accessories:



⑫ S=6 Hex Key x1




⑬ S=13 Combination Wrench x2



⑪ Snap Buckle Strap x1

Tilt Function:



Fold And Store Function:

